State of Wisconsin Department of Natural Resources Private Water Systems Section - DG/2 dnr.wi.gov

## High Capacity, School or Wastewater Treatment Plant APR 3 2014 Well Approval Application

Form 3300-256 (R 7/05)

Page 1 of 6

Notice: Prior department approval is required for the construction, reconstruction or operation of a high capacity Well or system of high capacity wells, a school well or a wastewater treatment plant well in accordance with Section NR 812.09(4)(a), Wisconsin Administrative Code. Personally identifiable information collected on this form, including such data as your name, address and phone number, will be used for management of department programs and is unlikely to be used for other purposes. This information will be addressable under Wisconsin's Open Records Laws, ss. 19.32 - 19.39, Wis. Stats.

Use this form to request an approval for installation of a well or wells on a high capacity property, seek approval to make other changes to a high capacity property or to modify a well on a high capacity property, as required by NR 812.09(4)(a), Wisconsin Administrative Code. Refer to definitions of high capacity well, high capacity property and high capacity well system on page 5.

This form is not intended to be used when seeking approval for construction or modification of wells serving water systems regulated under ch. NR 811, Wis. Adm. Code. Any water system serving 7 or more homes, 10 or more mobile homes, 10 or more apartments, 10 or more condominiums, or 10 or more duplexes is regulated under ch. NR 811, Wis. Adm. Code. See NR 811.01, Wis. Adm. Code for applicability requirements.

			us Information	
ап	id (h	e in	e the site status using the internet or the compact disk of departmental well data that is issued to drillers and pump installers information supplied by the property owner. Internet address is <a href="mailto:dnr.wi.gov/org/water/dwo/dws.htm">dnr.wi.gov/org/water/dwo/dws.htm</a> . Enter YES or NO for each owing questions.	
YE	:s ] [	ON T	and the state of t	
	] [	<b>%</b>	Has there been a change in well ownership since the last approval was written?  If YES, name of current owner:  Date of purchase:	
	] [		Has there been a change in well operator since the last approval was written?  If YES, name of current operator:  Date of change:	• • • • • • • • • • • • • • • • • • • •
	Ι <u>Σ</u>	]	Will a proposed well be connected to a plumbing system that is supplied by other sources (other wells, municipal supply, etc.)? If YES, include a schematic drawing showing backflow protection.	
	Ę	χĽ,	Is a proposed well within 1,200 feet of a landfill? Determine if there are any landfills nearby, using the well information compact disk FIND feature. Enter the township, range and section of the well location. If the well is near a section line, also check the adjacent section or sections.  If YES, list the landfill site ID Number:  OR  Landfill location: (Township/Range/Section)	
	Q	9 1 F	is a proposed well on a property that has a contaminated site? If YES, list the BRRTS (Bureau for Remediation and Redevelopment Tracking System) Number here and specify if the site is open or closed:	
	Ŋ	-  -  -  -  -  -	is a proposed well on a property that has a groundwater use restriction recorded on the deed? If YES, list the BRRTS number, as assigned to the contaminated site by the DNR remediation and redevelopment program:	
	4	rε	s a proposed well on a property that is listed on the department's registry of closed remediation sites for a groundwater use estriction? See compact disk or internet at maps.dnr.state.wi.us/imf/dnrimf.jsp?site=brrts. If YES, list the BRRTS Number lere:	
	7	ls w	s a proposed well to be used for a public water supply system that serves 25 or more people? See definition of a "public vater system" in the definitions section on page 5a.	
	A	by	s a proposed well to be installed within a special casing area? Refer to the list of special casing areas that is published y the department and/or contact the regional DNR office.	
	V	ap	as the number of wells or pumping capacity in an existing well increased since the most recent high capacity well pproval was issued?	
	囟	Ha ca	as the number of wells decreased since the most recent high capacity well approval? If the property is not yet a high apacity property, check NO.	
	X	ls	a non-pressurized storage vessel (i.e. reservoir) other than a pond proposed or in use?	
	团	Wi	ill the well discharge directly to a storage pond?	
J	夕	ls a	a pressurized tank with a capacity greater than 1,000 gallons proposed or in use?	
			a proposed well within 1,200 feet of a quarry?	1.
]	X	ls a	a proposed well located in a floodplain or floodway?	
V 1972	<b>A</b>	Are Adı	e any existing well installations on the high capacity property out of compliance with Chapter NR 812, Wisconsin ministrative Code?	100
][	М	Will	Il the well be used as a source of bottled water?	को उन्हर्भ जाती. जो उन्हर्भ जाती
]**[	স্থা	Are	you seeking a variance to construct a well that has a capacity of less than 70 gallons per minute to low capacity well-	चित्रिक्षि
] [	<b>Z</b> I 1	s th	he property served by a community water system?	

Well Name Assigned by Well Owner	ć	iee		1 11	, v							
(North Well, etc.): Well Number Assigned by Owner	į.	ree		4-4	ache	a						
(001, 002, etc.):												
WI Unique Well Number or NA if no number:												
Permanent DNR High Capacity Well Number or N/A if none:											•	
Public Water System ID Number, if Public (if not public, NONE):												
Potable or Non-Potable Use:		·····								<u> </u>		
Type of Well (Irrigation, Industrial, Residential, etc.):						·			<del></del>		, <u>q</u>	•
Requested Average Water Usage per Day in Gallons:					·····			<u> </u>				
Requested Maximum Water Usage per Day in Gallons:	<del></del>				·						· · · · · · · · · · · · · · · · · · ·	<del></del>
Seasonal? (April to October, Year Around, etc.):					-		٠.				· ·	** ,
Approved Pumping Capacity if Previously Approved (gpm):	· · · · · -	<u> ·</u>							-			1000
Current Pump Type & Capacity (gpm):					•			-		<u> </u>		
Proposed Pump Type & Capacity If Change Requested (gpm):	····	····										
Pump Discharge Type (Over Top of Casing Seal, Pitless, etc.):												
Discharge Location (Building Pressure Tank, Pond, etc.):												
Height of Well Casing Above Ground in Inches:				<u></u>			· •, .		. :			
Potential Contaminant Sources and Distance:					•							
Well Loc: Quarter Quarter Tection	1/4	of 1/	4	1/4 of	1/-	4	_ 1/4 of		1/4	1/	4 of	1.
or Government Lot Number											<i>(-</i>	
Section or French Long Lot No.						T	•• .					
Township:		Ŋ	T		N	Τ.	-		N	T	. 40,	. N
Range (Select E or W):	V	□Ę □v	/R	[	VE SELV	/ R		<u>:</u> [_	]w	R	E	
Latitude (Degrees and Minutes)	0		·	0	3 45	<u> </u>	0		_ '	0*-		
Longitude (Degrees and Minutes)	0		L	0	1/201		o	**	. 1	. 0		
GPS Map Datum (WGS84, WTM91, etc.)						<del></del>	· •	\		<b>2</b>		•
Include as much of the following information	as practi	cal for wells-t	hat do not	have w	ell construc	tion reco	र्तांड शोत	ة يُرِيُّ مسارية	ha ar	neli Gracioni, et	Over ic	۳.۰۰.
well construction record is attached, applicar Date of Construction:	it may lea	ive the tollow	ing rows t	olank.		F			Ť		-7	
Orilled by (Name of Drilling Firm):	<del></del>				· · · · · · · · · · · · · · · · · · ·				$\dashv$			
Orilling Method(s) (Rotary, Percussion, Etc.)		· · · · · · · · · · · · · · · · · · ·		-					$\dashv$			
Vell Depth in Feet:		· · · · · · · · · · · · · · · · · · ·					1.5	-	$\dashv$			- 15 15
ipper Enlarged Drillhole Diameter in									$\top$			
ower Drillhole Diameter in Inches	inches,	feet	inch	ies,	feet	inc	hes,	fe	et	inches,		feet
eli Casing Diameter in Inches and	nches,	feet	Inch	les,	feet	. :	hes.	fee		inches,	Services or think it	feet
ell Casing Material and Wall	nches,	feet	inch	es,	feet		nes,	fee	∋ŧ	inches,		feet
Thickness: nnular Space Material Between.	1 E. J. 1 100 J. 2 1 100 J. 2 1			<u>time kalendari</u> manananan		ender de de la companya de la compan	ra de todo com				- geraparan	<u> </u>
There a Well Screen (Y or N) If so		Mari Maria	Mary Miles	प्रकार के किया है। जन्म	neerly defined of	والمرابعة بمتابعة والمتابعة والمتابعة		and This interestinate and	-			istan tata
Screen Material?	Section of Section 19	Stagent A. of	Africa de	2 4 25 3	Bers -					÷		: 1

2 Mall Information			
Proposed Well Information	all proposed wells on the property, if more than two wel	ls or alternate constructio	n, submit additional sheets:
Well Name Assigned by Well Owner (North Well, etc.):			
Well Number Assigned by Owner (001, 002, etc.):	005		
Well Loc: Quarter Quarter Section of French Long Lot Number	5 W 1/4 of SE 1/4 of Section 3 4	1/4 of	1/4 of Section
or Government Lot Number			
Township & Range (Select E or V	V) T DY N, R 9 DE DW	T N, F	R DE DW
Latitude (Degrees and Minutes)	44 0 20.25.3 '	0	
Longitude (Degrees and Minutes)		0	<u> </u>
GPS Map Datum (WGS84, WTM91, etc.)	Gramin Hand held		Potable
Type of Well (Irrigation, Industrial, Residential, etc.):	Type: Irrigation Potable Non-Potable	Type:	Non-Potable
Drilling Method(s) (Rotary, Percussion, Etc.):	Rotary		· · · · · · · · · · · · · · · · · · ·
Anticipated Geological Materials and	Depths that Are Expected During Drilling:		
Material and Depth Interval:	Sand and Graverom 0' to 240'	l	from 0' to '
Material and Depth Interval:	from ' to '		from ' to '
Material and Depth Interval:	from ' to '		from ' to '
Material and Depth Interval:	from ' to '		from ' to '
Material and Depth Interval:	from ' to '		from ' to '
Drillhole Diameter and Anticipated De			
Diameter and Depth Interval:	16 from 0 to 2-40		from to
Diameter and Depth Interval:	from ' to '		rom ' lo '
Diameter and Depth Interval:	from 'to '	<u>f</u>	rom to
	and Wall Thickness at Anticipated Depth Intervals:		
Diameter and Wall Thickness at Depth Interval:	16 "diam/,750" thick 0' to 200'	<u>" diam/                                    </u>	thick 0' to
Diameter and Wall Thickness at Depth Interval:	"diam/ "thick 'to '	" diam/	thick 'to '
Permanent Casing or Liner Material, I	f Used:		
Casing Joints (Welded, T and C, etc.)	Welded		
Material and Weight at Depth Interval:	/ lbs/foot 0' to '	1	Ibs/foot 0 to '
Material and Weight at Depth Interval:	i lbs/foot ' to '		lbs/foot 'to '
Screen Material, Slot Size in Inches and Depth Interval or N/A if none:	40 116 "1200 to 240"		"/ ' to '
Casing to Screen Joint (Welded, T and C, K Packer, etc.)	welded.		
Annular Space Material Including Filter	Pack Material, If Used:		
Material and Depth Interval:	Drill mud teatings 1 0' to 200		/ 0' to '
Material and Depth Interval:	Red flint Pack 1 200 10 240		/ ' to '
Proposed Average Water Usage Per Day in Gallons:	720,000		
Proposed Maximum Water Usage Per Day In Gallons:	1, 446,000		
Seasonal? (April to October, Year Around, etc.):	April - October		
Proposed Pump Type & Capacity (gpm):	1000 gfm Lineshoft turbine		<u> </u>
Discharge Type (Over Top of Casing Seal, Pitless Adapter or Unit):	over the top		
Discharge Location (Building Pressure Tank, Pond, etc.):	Irrigation pipe	i i se experimenta de la completa d La completa de la co	rang daga period kelanggan bangsalah daga period beranggan beranggan beranggan beranggan beranggan beranggan b
Public Utility Well & Well Name:	8 m. Niw Plover	<del>algebra e material de la comp</del> essario	्राम्यक्ष्यस्थानस्य स्थापनाः । स्थापनाः स्थापनाः स्थापनाः स्थापनाः स्थापनाः स्थापनाः स्थापनाः स्थापनाः स्थापना
Stance to Other Potential Contaminant Sources: istance to Other Potential			NAME OF THE OWNER OWNER OF THE OWNER
Contaminant Sources:			
eave Blank, for Department use only			

NUMBER OF STREET

## Required Attachments

- Attach one of the maps described in A. or B., below. Plot the existing and proposed well locations on the map. For wells that have a Wisconsin Unique Well Number or a Permanent High Capacity Well Number, plot the well locations with one of those numbers.
  - A. Copy of a plat map with the property boundary clearly shown. If the property is contiguous with properties owned by the same owner in another township, include a copy of that township map too, showing the property boundaries. If the property owner listed on the plat map is different from the current owner, list the date or dates, that the current property owner purchased the property on the map.
  - B. Map of the property prepared by a licensed land surveyor and the property description as described by the surveyor.
- 2. Sketch map showing all of the following that are planned or exist within 300 feet of each proposed well: proposed well location; other wells; property boundary; wetlands; potential contaminant sources (septic tank and drainfield, petroleum storage tanks, sewer lines, etc.); buildings and north arrow. If no pertinent features to map within 300 feet of the proposed well, for example an irrigation well in the middle of a field, state that on the property map listed above and plot the well locations on that map.
- 3. Any well construction records available for existing wells on the property. Do not attach any well construction records for wells that are not on the property. If a Wisconsin Unique Well Number has not been assigned, write a well name or site well number on the record that correlates to the well name or number plotted on the maps.
- 4. For proposed wells with a capacity greater than 400 gallons per minute, include the performance curve or performance table that is provided by the pump manufacturer. If the pump will be a lineshaft turbine, provide a curve with the same rpm as the motor under full load and list the motor horsepower.
- 5. If more than one well is connected to a common plumbing system, also provide a schematic drawing of the system showing method of preventing backflow. This sketch must include the well discharge (pitless, over top of casing sanitary seal); the water line from the well; pressure tanks; sampling faucets; check valves; backflow preventers; air gaps; manually operated valves; water meters; pressure switches for pumps; and any other pertinent fittings. This schematic drawing must also identify which of these components are buried or above ground. If there is more than one check valve within the well casing, include in-well check valves on the schematic.
- If reconstruction of an existing well is proposed, include a diagram of the current well construction and a diagram of the proposed construction.
- If the application is for a high capacity well or wells, a \$500.00 check payable to the Department of Natural Resources, unless the
  application is only for continued operation after a change of ownership.

## Certification and Applicant Signatures

If the application requests a variance for a well within 1,200 feet of a landfill, a well on a property with a groundwater use restriction, or any other variance to NR 812, Wis. Adm. Code, the property owner must sign the application. If the well operator will install a well on property that he or she does not own, the property owner must also sign the application. Otherwise, an agent of the owner may sign the application.

Unsigned and incomplete applications will not be approved.

By signing this form, the person signing this application certifies that to the best of his or her knowledge, all existing well installations on the property comply with ch. NR 812, Wis. Adm. Code. The person also certifies that to the best of his or her knowledge, all information in the application is accurate and correct.

Name - Print	Check Box							
John Hernan		Owner	Agent of the Owner					
Signature	Company		Date ,					
	Roberts	Irr. Co. Inc	3/3//13					
Application submittal. Mail completed application Section - DG/2, PO Box 7921, Madison WI 537	n and payment with all required 07-7921.	attachments to DNR, Pri	vate Water Systems					
Definitions from Wisconsin Administrative C	odes	energe sentenen en en gregor gen generalen eta berekonea	であっていた。 教育の学・教の教育の マングでは、といいと、大学の選挙を					
"Lligh gong ally wall"								

"High capacity well" means a well constructed on a high capacity property. [NR 812.07(51)]


"High capacity property" means one property on which a high capacity well system exists or is to be constructed. [NR 812.07(52)]

"High capacity well system" means one or more wells, drillholes or mine shafts used or to be used to withdraw water for any purpose on one property, if the total pumping or flowing capacity of all wells, drillholes or mine shafts on one property is 70 or more gallons per minute based on the pump curve at the lowest system pressure setting, or based on the flow rate. [NR 812.07(53)]

"Public water system" means a system for the provision to the public of piped water for human consumptions if such system has at least 15 service connections or regularly serves an average of at least 25 individuals daily at least 60 days per year. A public water system is either a community water system or a non-community water system. Such system includes: (a) Any collection, treatment, storage, and distribution facilities under control of the operator of such system and used primarily in connection with such system, and (b) Any collection or pretreatment storage facilities not under such control which are used primarily in connection with such system. [NR 812,07(80)]

"School" means a public or private educational facility in which a program of educational instruction is provided to children in any grade or grades from kindergarten through the 12th grade. Water systems serving athletic fields, school forests, environmental centers, home-based schools, day-care centers and Sunday schools are not school water systems. [NR 812.07(94)]

"Wastewater treatment plant" means any facility provided for the treatment of sanitary or industrial wastewater or both. The following types of facilities are excluded: (a) Facilities defined as private sewage systems in s. 145.01(12), Stats. (b) Pretreatment facilities from which effluent is directed to a public sewer system for treatment. (c) Industrial wastewater treatment facilities which consist solely of a land disposal system. [NR 114.03(14)]



"Vegetables a Specialty"

7212 County Road BB • Bancroft, WI 54921 • efiveeeies@yahoo.com

WISCONSIN UNIQUE WELL NUMBER Source: WELL CONSTRUCTION DA788								State of Wi-Private Water Systems-DG/2 Form 3300-77A Department Of Natural Resources, Box 7921 Madison, WI 53707  Form 3300-77A (Rev 02/02)bw				
Property Owner Vi	ERLYN SCH	EIDER			Telepho Number	ne 715 –36	36 <b>–</b> 7672	1. Well Location		epth 160	FT	
	48 COUNTY				rumber			T=Town C=City V=Villag T of BUENA VISTA	e	Fire# 77	748	
City ALM	OND		State	WI	Zip Co		4909	Street Address or Road Nam COUNTY EE	e and Number			
_	Well Location ORTAGE	WC	Co Well Permit W	No.	Well C	Completion D July 15, 19		Subdivision Name	Lot#	Block #		
Well Consti TERRY F.			Licen 41	se# Fac	ility ID	(Public)		Gov't Lot	or <b>NW</b> 1/4 of	SE	1/4 of	
Address RT 2 BOX	286A			Pu	olic Wel	l Plan Approv	val#	Section 34 T 22	2 N R 9 E	noq 34. nost		
City PLAINFIE	I D		tate Zip Code NI 54966		e Of Ap	proval		2. Well Type 2	(See item 12 bel	ow)		
	anent Well #		mmon Well#		cific Ca	pacity gpm/ft		1=New 2=Replaceme of previous unique well #_			_	
. Well Serv		omes and or g: barn, restauran	t oburah sahaai	lindustr	u eto \	High Capa	city:	Reason for replaced or recor	structed Well?			
•	•	g. Odrii, restauran P-Private Z=Other X=	•			Property?	• •	1 1=Drilled 2=Driven Poi	nt 3=Jetted 4=Other			
				from an				g those on neighboring proper				
	d in floodplair et from well to 1. Landfill 2. Building (	n? No nearest: (includi	ing proposed)		10. P 11. F	oundation Dr	ain to Clear		<ul><li>17. Wastewater Sun</li><li>18. Paved Animal B</li><li>19. Animal Yard or</li></ul>	Barn Pen		
36	3. 1=Sep	otic 2= Holding	Tank			oundation Dr uilding Drain		•	20. Silo			
	-	bsorption Unit				1=Cast Ir	on or Plastic		<ul><li>21. Barn Gutter</li><li>22. Manure Pipe</li></ul>	1=Gravity	?=Pressure	
	5. Nonconfo	rming Pit ome Heating Oi	l Tonk		14. B	-		rity 2=Pressure lastic 2=Other		n or Plastic		
		troleum Tank	I IGHA		15. C			in . diam.	24. Ditch	Julie		
		reline 2= Swim	ming Pool		16. C	learwater Sui	mp		25. Other NR 812 V	√aste Source	;	
Fr	om To		larged Drillhole			en Bedrock	Geology Codes	8. Geol Type, Caving/Noncaving,	ogy Color, Hardness, etc	Froi (ft.)		
Dia.(in.) (fi	(ft)	3	/ - Mud Circulat / - Air				S_ S	SAND		0	10 🔺	
6.0 surfa	ce 160		- Air and Foam				G_ (	GRAVEL		10	62	
		4, Drill- 5, Reve	Through Casing rse Rotary	Hamme	r			SAND @ GARVEL		62	149	
		6. Cable	-tool Bit _	n. dia			C (			149		
		Remo	. Outer Casing _ oved ? ASING HAMMER	•	dia	depth ft.	Y \$	SAND @ GRAVEL		149.5	160	
Casina Li	ner Screen	Material, Weight,		RUTAR	From	To		····		,		
Dia. (in.)	Mai	urateriar, weight, iufacturer & Metl	od of Assembly	/	(ft.)	(ft.)						
6.0		USS STEEL-AS EDTOGETHER	*		ırface	156						
				***************************************								
							9. Static \	Vater Level	II. Well Is:	23 in.	→ A Grade	
							109.0	A=Above B=Below	1	20 111.	A=Above B=Below	
Dia.(in.) 6.0		type, material & JOHNSON WITH		F	rom 156	To 160	10. Pump Pumping	g level 115.0 ft. below su	1 1			
Grant ar	Other Sealing	Material					12. Did yo	u notify the owner of the need	1110		all	
Method	_			Fron (ft.)	ı To (ft.		lf no, exp		MEOWNER WILL			
POW		ealing Material NITE ALONG C	ASING	surfac	<u> </u>	0.0	13. Initials	of Well Constructor or Superv	risory Driller JF	Date Si	gned 7/17/91	
				<u> </u>	+		Initials of	Drill Rig Operator (Mandatory	unless same as abov	-	gned 7/15/91	
			10	<u> </u>	i		<u> </u>		11		1710131	